



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

Zoölogist, July, Aug., Sept., 1884.

Zeitschrift für die Gesammte Ornithologie, I, No. 2.

United States Geological Survey. Third Ann. Rep., 1881-82, 4to., pp. xviii, 564. pll. 32, 1884.

GENERAL NOTES.

Another Kirtland's Warbler from Michigan.—The National Museum has recently acquired a fully adult male of this species which on the collector's label bears the following legend: "No 111, collection of N. Y. Green. . . . *Dendræca pinus*. Pine-creeping Warbler. . . . Battle Creek, Mich. . . . May 11, 1883." The specimen, which was generously presented to the National Museum by Mr. J. H. Batty, of Parkville, L. I., is in the highest state of plumage of the fully adult male, and has the yellow of the under parts entirely free from markings on the jugulum, which are present in the type (an immature male changing to spring plumage) and in two of the three adult females in the collection.—ROBERT RIDGWAY, *Washington, D. C.*

Geothlypis trichas wintering in Eastern Massachusetts.—I have recently examined a male Maryland Yellow-throat brought me by a neighbor, which was caught by his cat in the latter part of January, 1884. He was unable to give the exact date, but is positive it was later than the middle of the month. The bird was in fine plumage and good condition, evidently not prevented by disease or injury from accompanying its mates southward at the usual season. As I can find no similar record, I thought it might be well to make a note of the above.—F. C. BROWNE, *Framingham, Mass.*

The Yellow-breasted Chat and Summer Redbird in Canada.—On the 16th of May, 1884, I found the dead body of an olive-backed bird lying on the ground. The maggots fell from it as I took it up, but it was still in condition to show that had I found it a few days sooner I would have added to my collection a perfect specimen of the Yellow-breasted Chat (*Icteria virens*). The bird had evidently been killed by flying against the telegraph wires which pass near where it was found.

Ten days later, when visiting Mr. Dickson, station master of the Grand Trunk Railway at Waterdown, he pointed out to me an old unused mill-race, grown up with briars and brambles, where the day previous he had seen a pair of Chats mated. Mr. Dickson was collecting at the time, and was surprised at their suddenly appearing within ten feet of him, but on his trying to get to a safer shooting distance they disappeared in the thicket and did not again become visible, though they kept continually scolding at him. These are the only records I have of this species being noticed in Canada.